

Certificate of Compliance

Certificate Number:

UL-US-2401743-2

Report Reference:

E537819-20240117

Issue Date:

2024-07-09

Issued to:

Zhejiang Hengtuo electronic Technology Co., LTD 298 Yongqing Road, Bridge Town, Nanhu District Jiaxing, Zhejiang 314000 China

This certificate confirms that representative samples of: FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



CERTIFICATE OF COMPLIANCE

Certificate number

UL-US-2401743-2

Report reference

E537819-20240117

Date

2024-07-09

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
HT-354X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HT-357X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HT-3H4X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HT-3H7X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HT-814X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HT-816X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HT-817X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HT-818X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HT-851X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HT-852X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTM-212-XX, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTM-213-XX, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTM-214-xx, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTM-215-XX, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTM-302X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HTM-304X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HTM-305X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HTM-306X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HTM-307X, where "X" maybe any alphanumeric character	Double protection optical isolators at 3750

David Piecuch

UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



CERTIFICATE OF COMPLIANCE

Certificate number

UL-US-2401743-2

Report reference

E537819-20240117

Date

2024-07-09

or blank.	Vac isolation voltage
HTM-308X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 3750 Vac isolation voltage
HTV-2XX, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTV-302X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTV-304X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTV-305X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTV-306X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTV-307X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage
HTV-308X, where "X" maybe any alphanumeric character or blank.	Double protection optical isolators at 5000 Vac isolation voltage

David Piecuch

UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

